

HRPpro Case

Mobile Storage for HRPpro devices

In the HRPpro system, Cases are devices that can store HRPpro Tags, HRPpro Anchors and additional equipment. The HRPpro Case is highly customizable regarding the amount of slots for HRPpro Tags and Anchors. The HRPpro Case also charges HRPpro Tags when connected to a mains supply.



Features

	Description
Charging	32 HRPpro Tags can be charged in parallel
Installation	On Desk (mobile unit)
Power Supply	110V/230V 50/60Hz
Management	Overcurrent protection for each charging socket: green LED: Power Good red LED: Overcurrent detected
Customization	up to 32 HRPpro Tag sockets 2 HRPpro Tag sockets can be substituted by 1 HRPpro Anchor socket
Storage space	space for additional equipment 26 x 16 x 5 cm
Size & Weight	43.2 x 35.6 x 19.4 cm, 4.5 - 6kg

Customization examples

	Description	HRPpro Tag sockets	HRPpro Anchor sockets
	basic	---	---
	mixed example 1	16	8
	mixed example 2	16	8
	mixed example 3	32	---

Socket variants

Description



HRPpro miniTag socket
with charging capability



HRPpro Anchor
storage only

Ordering Information

Part	Ordering Code	MOQ
HRPpro miniTag black	902.073A001	1
HRPpro Anchor black	902.074	1
ICTRAC/HRPpro Case	902.076	1
ICTRAC/HRPpro Anchor socket	309.078	1
ICTRAC/HRPpro miniTag socket	303.514	1
HRPpro Server	902.077	1
ICTRAC/HRPpro Anchor wall mount 0 degrees	309.053	1

Accessories

Part	Ordering Code
ZYXEL GS12005HP Managed Gigabit-Switch PoE (5x 10/100/1000) 	500.110

Certifications



RoHS / WEEE compliant

WEEE-Reg.-Nr. DE 17225017



Revision history:

Version	Date	Changes	Editor
A	2020/03/27	Initial Version	Kormann